

```

-----
-- Host: 127.0.0.1
-- Server Version: 5.1.53-community - MySQL Community Server (GPL)
-- Server Betriebssystem: Win64
-- HeidiSQL Version: 8.0.0.4396
-----

/*!40101 SET @OLD_CHARACTER_SET_CLIENT=@CHARACTER_SET_CLIENT */;
/*!40101 SET NAMES utf8 */;
/*!40014 SET @OLD_FOREIGN_KEY_CHECKS=@FOREIGN_KEY_CHECKS, FOREIGN_KEY_CHECKS=0 */;
/*!40101 SET @OLD_SQL_MODE=@SQL_MODE, SQL_MODE='NO_AUTO_VALUE_ON_ZERO' */;

-- Exportiere Datenbank Struktur für recipeadmin
CREATE DATABASE IF NOT EXISTS `recipeadmin` /*!40100 DEFAULT CHARACTER SET utf8 COLLATE utf8_unicode_ci */;
USE `recipeadmin`;

-- Exportiere Struktur von Tabelle recipeadmin.category
CREATE TABLE IF NOT EXISTS `category` (
  `id` bigint(20) NOT NULL,
  `description` varchar(3000) COLLATE utf8_unicode_ci NOT NULL,
  `name` varchar(30) COLLATE utf8_unicode_ci NOT NULL,
  `recipe_id` bigint(20) NOT NULL,
  PRIMARY KEY (`id`),
  KEY `FK796rd0ryvruhw2gsta2suurmd` (`recipe_id`),
  CONSTRAINT `FK796rd0ryvruhw2gsta2suurmd` FOREIGN KEY (`recipe_id`) REFERENCES `recipe` (`id`)
) ENGINE=InnoDB DEFAULT CHARSET=utf8 COLLATE=utf8_unicode_ci;

-- Exportiere Daten aus Tabelle recipeadmin.category: ~2 rows (ungefähr)
DELETE FROM `category`;
/*!40000 ALTER TABLE `category` DISABLE KEYS */;
INSERT INTO `category` (`id`, `description`, `name`, `recipe_id`) VALUES
  (1, 'Cocktails to relax and cool off', 'Cocktails', 1),
  (2, 'Barbeque and Beverages', 'Barbeque', 2);
/*!40000 ALTER TABLE `category` ENABLE KEYS */;

-- Exportiere Struktur von Tabelle recipeadmin.country
CREATE TABLE IF NOT EXISTS `country` (
  `id` bigint(20) NOT NULL,
  `iso3` varchar(3) COLLATE utf8_unicode_ci NOT NULL,
  `iso_code` varchar(2) COLLATE utf8_unicode_ci NOT NULL,
  `name` varchar(80) COLLATE utf8_unicode_ci NOT NULL,
  `numcode` varchar(3) COLLATE utf8_unicode_ci NOT NULL,
  `printable_name` varchar(80) COLLATE utf8_unicode_ci NOT NULL,
  PRIMARY KEY (`id`)
) ENGINE=InnoDB DEFAULT CHARSET=utf8 COLLATE=utf8_unicode_ci;

-- Exportiere Daten aus Tabelle recipeadmin.country: ~2 rows (ungefähr)
DELETE FROM `country`;

```

```

/*!40000 ALTER TABLE `country` DISABLE KEYS */;
INSERT INTO `country` (`id`, `iso3`, `iso_code`, `name`, `numcode`, `printable_name`) VALUES
  (1, 'USA', 'US', 'United States Of America', '840', 'United States Of America'),
  (2, 'DEU', 'DE', 'Germany', '276', 'Germany');
/*!40000 ALTER TABLE `country` ENABLE KEYS */;

-- Exportiere Struktur von Tabelle recipeadmin.food_item
CREATE TABLE IF NOT EXISTS `food_item` (
  `id` bigint(20) NOT NULL,
  `brand` varchar(30) COLLATE utf8_unicode_ci NOT NULL,
  `description` varchar(3000) COLLATE utf8_unicode_ci NOT NULL,
  `name` varchar(30) COLLATE utf8_unicode_ci NOT NULL,
  PRIMARY KEY (`id`)
) ENGINE=InnoDB DEFAULT CHARSET=utf8 COLLATE=utf8_unicode_ci;

-- Exportiere Daten aus Tabelle recipeadmin.food_item: ~2 rows (ungefähr)
DELETE FROM `food_item`;
/*!40000 ALTER TABLE `food_item` DISABLE KEYS */;
INSERT INTO `food_item` (`id`, `brand`, `description`, `name`) VALUES
  (1, 'Bacardi', 'Bacardi Rum', 'Rum'),
  (2, 'Grillmaster', 'Steaks in Barbecue sauce', 'Steaks');
/*!40000 ALTER TABLE `food_item` ENABLE KEYS */;

-- Exportiere Struktur von Tabelle recipeadmin.ingredient
CREATE TABLE IF NOT EXISTS `ingredient` (
  `id` bigint(20) NOT NULL,
  `quantity` float DEFAULT NULL,
  `foodItem_id` bigint(20) DEFAULT NULL,
  `recipe_id` bigint(20) NOT NULL,
  `unit_id` bigint(20) DEFAULT NULL,
  PRIMARY KEY (`id`),
  KEY `FK9jlu61xqxp19lkqyonc6vv0rk` (`foodItem_id`),
  KEY `FKfgth0i9a2s5ri3ng9bpvxluy` (`recipe_id`),
  KEY `FKptcc01xludxyt1ml6168ea5p7` (`unit_id`),
  CONSTRAINT `FK9jlu61xqxp19lkqyonc6vv0rk` FOREIGN KEY (`foodItem_id`) REFERENCES `food_item` (`id`),
  CONSTRAINT `FKfgth0i9a2s5ri3ng9bpvxluy` FOREIGN KEY (`recipe_id`) REFERENCES `recipe` (`id`),
  CONSTRAINT `FKptcc01xludxyt1ml6168ea5p7` FOREIGN KEY (`unit_id`) REFERENCES `unit` (`id`)
) ENGINE=InnoDB DEFAULT CHARSET=utf8 COLLATE=utf8_unicode_ci;

-- Exportiere Daten aus Tabelle recipeadmin.ingredient: ~2 rows (ungefähr)
DELETE FROM `ingredient`;
/*!40000 ALTER TABLE `ingredient` DISABLE KEYS */;
INSERT INTO `ingredient` (`id`, `quantity`, `foodItem_id`, `recipe_id`, `unit_id`) VALUES
  (1, 1, 1, 1, 1),
  (2, 1, 2, 2, 2);
/*!40000 ALTER TABLE `ingredient` ENABLE KEYS */;

```

```

-- Exportiere Struktur von Tabelle recipeadmin.preparation_direction
CREATE TABLE IF NOT EXISTS `preparation_direction` (
  `id` bigint(20) NOT NULL,
  `howToPrepare` varchar(300) COLLATE utf8_unicode_ci NOT NULL,
  `recipe_id` bigint(20) NOT NULL,
  PRIMARY KEY (`id`),
  KEY `FK79o58to57aah12dclu784tch8` (`recipe_id`),
  CONSTRAINT `FK79o58to57aah12dclu784tch8` FOREIGN KEY (`recipe_id`) REFERENCES `recipe` (`id`)
) ENGINE=InnoDB DEFAULT CHARSET=utf8 COLLATE=utf8_unicode_ci;

-- Exportiere Daten aus Tabelle recipeadmin.preparation_direction: ~3 rows (ungefähr)
DELETE FROM `preparation_direction`;
/*!40000 ALTER TABLE `preparation_direction` DISABLE KEYS */;
INSERT INTO `preparation_direction` (`id`, `howToPrepare`, `recipe_id`) VALUES
  (1, 'A) Mix it', 1),
  (2, 'A) Burn em and turn em.', 2),
  (3, 'B) Add some hot sauce on the grill', 2);
/*!40000 ALTER TABLE `preparation_direction` ENABLE KEYS */;

-- Exportiere Struktur von Tabelle recipeadmin.recipe
CREATE TABLE IF NOT EXISTS `recipe` (
  `id` bigint(20) NOT NULL,
  `title` varchar(256) COLLATE utf8_unicode_ci NOT NULL,
  `user_id` bigint(20) NOT NULL,
  PRIMARY KEY (`id`),
  KEY `FK7q3alijid9lw7vc78pwvb824i` (`user_id`),
  CONSTRAINT `FK7q3alijid9lw7vc78pwvb824i` FOREIGN KEY (`user_id`) REFERENCES `user` (`id`)
) ENGINE=InnoDB DEFAULT CHARSET=utf8 COLLATE=utf8_unicode_ci;

-- Exportiere Daten aus Tabelle recipeadmin.recipe: ~2 rows (ungefähr)
DELETE FROM `recipe`;
/*!40000 ALTER TABLE `recipe` DISABLE KEYS */;
INSERT INTO `recipe` (`id`, `title`, `user_id`) VALUES
  (1, 'Mojito Speciale', 1),
  (2, 'Barbeque Steaks', 1);
/*!40000 ALTER TABLE `recipe` ENABLE KEYS */;

-- Exportiere Struktur von Tabelle recipeadmin.sequence_category
CREATE TABLE IF NOT EXISTS `sequence_category` (
  `next_val` bigint(20) DEFAULT NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8 COLLATE=utf8_unicode_ci;

-- Exportiere Daten aus Tabelle recipeadmin.sequence_category: ~1 rows (ungefähr)
DELETE FROM `sequence_category`;
/*!40000 ALTER TABLE `sequence_category` DISABLE KEYS */;
INSERT INTO `sequence_category` (`next_val`) VALUES
  (3);
/*!40000 ALTER TABLE `sequence_category` ENABLE KEYS */;

```

```

-- Exportiere Struktur von Tabelle recipeadmin.sequence_country
CREATE TABLE IF NOT EXISTS `sequence_country` (
  `next_val` bigint(20) DEFAULT NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8 COLLATE=utf8_unicode_ci;

-- Exportiere Daten aus Tabelle recipeadmin.sequence_country: ~1 rows (ungefähr)
DELETE FROM `sequence_country`;
/*!40000 ALTER TABLE `sequence_country` DISABLE KEYS */;
INSERT INTO `sequence_country` (`next_val`) VALUES
  (1);
/*!40000 ALTER TABLE `sequence_country` ENABLE KEYS */;

-- Exportiere Struktur von Tabelle recipeadmin.sequence_food_item
CREATE TABLE IF NOT EXISTS `sequence_food_item` (
  `next_val` bigint(20) DEFAULT NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8 COLLATE=utf8_unicode_ci;

-- Exportiere Daten aus Tabelle recipeadmin.sequence_food_item: ~1 rows (ungefähr)
DELETE FROM `sequence_food_item`;
/*!40000 ALTER TABLE `sequence_food_item` DISABLE KEYS */;
INSERT INTO `sequence_food_item` (`next_val`) VALUES
  (3);
/*!40000 ALTER TABLE `sequence_food_item` ENABLE KEYS */;

-- Exportiere Struktur von Tabelle recipeadmin.sequence_ingredient
CREATE TABLE IF NOT EXISTS `sequence_ingredient` (
  `next_val` bigint(20) DEFAULT NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8 COLLATE=utf8_unicode_ci;

-- Exportiere Daten aus Tabelle recipeadmin.sequence_ingredient: ~1 rows (ungefähr)
DELETE FROM `sequence_ingredient`;
/*!40000 ALTER TABLE `sequence_ingredient` DISABLE KEYS */;
INSERT INTO `sequence_ingredient` (`next_val`) VALUES
  (3);
/*!40000 ALTER TABLE `sequence_ingredient` ENABLE KEYS */;

-- Exportiere Struktur von Tabelle recipeadmin.sequence_preparation_direction
CREATE TABLE IF NOT EXISTS `sequence_preparation_direction` (
  `next_val` bigint(20) DEFAULT NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8 COLLATE=utf8_unicode_ci;

-- Exportiere Daten aus Tabelle recipeadmin.sequence_preparation_direction: ~1 rows (ungefähr)
DELETE FROM `sequence_preparation_direction`;
/*!40000 ALTER TABLE `sequence_preparation_direction` DISABLE KEYS */;
INSERT INTO `sequence_preparation_direction` (`next_val`) VALUES

```

```

(4);
/*!40000 ALTER TABLE `sequence_preparation_direction` ENABLE KEYS */;

-- Exportiere Struktur von Tabelle recipeadmin.sequence_recipe
CREATE TABLE IF NOT EXISTS `sequence_recipe` (
  `next_val` bigint(20) DEFAULT NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8 COLLATE=utf8_unicode_ci;

-- Exportiere Daten aus Tabelle recipeadmin.sequence_recipe: ~1 rows (ungefähr)
DELETE FROM `sequence_recipe`;
/*!40000 ALTER TABLE `sequence_recipe` DISABLE KEYS */;
INSERT INTO `sequence_recipe` (`next_val`) VALUES
  (4);
/*!40000 ALTER TABLE `sequence_recipe` ENABLE KEYS */;

-- Exportiere Struktur von Tabelle recipeadmin.sequence_serving_direction
CREATE TABLE IF NOT EXISTS `sequence_serving_direction` (
  `next_val` bigint(20) DEFAULT NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8 COLLATE=utf8_unicode_ci;

-- Exportiere Daten aus Tabelle recipeadmin.sequence_serving_direction: ~1 rows (ungefähr)
DELETE FROM `sequence_serving_direction`;
/*!40000 ALTER TABLE `sequence_serving_direction` DISABLE KEYS */;
INSERT INTO `sequence_serving_direction` (`next_val`) VALUES
  (7);
/*!40000 ALTER TABLE `sequence_serving_direction` ENABLE KEYS */;

-- Exportiere Struktur von Tabelle recipeadmin.sequence_unit
CREATE TABLE IF NOT EXISTS `sequence_unit` (
  `next_val` bigint(20) DEFAULT NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8 COLLATE=utf8_unicode_ci;

-- Exportiere Daten aus Tabelle recipeadmin.sequence_unit: ~1 rows (ungefähr)
DELETE FROM `sequence_unit`;
/*!40000 ALTER TABLE `sequence_unit` DISABLE KEYS */;
INSERT INTO `sequence_unit` (`next_val`) VALUES
  (3);
/*!40000 ALTER TABLE `sequence_unit` ENABLE KEYS */;

-- Exportiere Struktur von Tabelle recipeadmin.sequence_user
CREATE TABLE IF NOT EXISTS `sequence_user` (
  `next_val` bigint(20) DEFAULT NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8 COLLATE=utf8_unicode_ci;

-- Exportiere Daten aus Tabelle recipeadmin.sequence_user: ~1 rows (ungefähr)
DELETE FROM `sequence_user`;

```

```

/*!40000 ALTER TABLE `sequence_user` DISABLE KEYS */;
INSERT INTO `sequence_user` (`next_val`) VALUES
(1);
/*!40000 ALTER TABLE `sequence_user` ENABLE KEYS */;

-- Exportiere Struktur von Tabelle recipeadmin.serving_direction
CREATE TABLE IF NOT EXISTS `serving_direction` (
  `id` bigint(20) NOT NULL,
  `howToServe` varchar(300) COLLATE utf8_unicode_ci NOT NULL,
  `recipe_id` bigint(20) NOT NULL,
  PRIMARY KEY (`id`),
  KEY `FKemvucftlaglqmirj7qgk3vjyk` (`recipe_id`),
  CONSTRAINT `FKemvucftlaglqmirj7qgk3vjyk` FOREIGN KEY (`recipe_id`) REFERENCES `recipe` (`id`)
) ENGINE=InnoDB DEFAULT CHARSET=utf8 COLLATE=utf8_unicode_ci;

-- Exportiere Daten aus Tabelle recipeadmin.serving_direction: ~6 rows (ungefähr)
DELETE FROM `serving_direction`;
/*!40000 ALTER TABLE `serving_direction` DISABLE KEYS */;
INSERT INTO `serving_direction` (`id`, `howToServe`, `recipe_id`) VALUES
(1, 'A) In a glass', 1),
(2, 'B) With a straw', 1),
(3, 'C) On the rocks', 1),
(4, 'A) With toasted garlic bread', 2),
(5, 'B) With roasted onions', 2),
(6, 'C) With some roasted veggies', 2);
/*!40000 ALTER TABLE `serving_direction` ENABLE KEYS */;

-- Exportiere Struktur von Tabelle recipeadmin.unit
CREATE TABLE IF NOT EXISTS `unit` (
  `id` bigint(20) NOT NULL,
  `abbreviation` varchar(30) COLLATE utf8_unicode_ci NOT NULL,
  `name` varchar(30) COLLATE utf8_unicode_ci NOT NULL,
  PRIMARY KEY (`id`)
) ENGINE=InnoDB DEFAULT CHARSET=utf8 COLLATE=utf8_unicode_ci;

-- Exportiere Daten aus Tabelle recipeadmin.unit: ~2 rows (ungefähr)
DELETE FROM `unit`;
/*!40000 ALTER TABLE `unit` DISABLE KEYS */;
INSERT INTO `unit` (`id`, `abbreviation`, `name`) VALUES
(1, 'cl', '100'),
(2, 'Set', '8 Steaks');
/*!40000 ALTER TABLE `unit` ENABLE KEYS */;

-- Exportiere Struktur von Tabelle recipeadmin.user
CREATE TABLE IF NOT EXISTS `user` (
  `id` bigint(20) NOT NULL,
  `city` varchar(255) COLLATE utf8_unicode_ci DEFAULT NULL,

```

```

`state` varchar(255) COLLATE utf8_unicode_ci DEFAULT NULL,
`street1` varchar(255) COLLATE utf8_unicode_ci DEFAULT NULL,
`street2` varchar(255) COLLATE utf8_unicode_ci DEFAULT NULL,
`zip_code` varchar(255) COLLATE utf8_unicode_ci DEFAULT NULL,
`date_of_birth` date NOT NULL,
`date_of_entry` date NOT NULL,
`date_of_leave` date NOT NULL,
`email` varchar(255) COLLATE utf8_unicode_ci NOT NULL,
`firstName` varchar(50) COLLATE utf8_unicode_ci NOT NULL,
`jobTitle` varchar(255) COLLATE utf8_unicode_ci NOT NULL,
`lastName` varchar(50) COLLATE utf8_unicode_ci NOT NULL,
`login` varchar(30) COLLATE utf8_unicode_ci NOT NULL,
`middleName` varchar(50) COLLATE utf8_unicode_ci DEFAULT NULL,
`password` varchar(256) COLLATE utf8_unicode_ci NOT NULL,
`phone` varchar(255) COLLATE utf8_unicode_ci NOT NULL,
`country_id` bigint(20) DEFAULT NULL,
PRIMARY KEY (`id`),
KEY `FKk1jeoj2fixpghqk5olopn1lq` (`country_id`),
CONSTRAINT `FKk1jeoj2fixpghqk5olopn1lq` FOREIGN KEY (`country_id`) REFERENCES `country` (`id`)
) ENGINE=InnoDB DEFAULT CHARSET=utf8 COLLATE=utf8_unicode_ci;

-- Exportiere Daten aus Tabelle recipeadmin.user: ~1 rows (ungefähr)
DELETE FROM `user`;
/*!40000 ALTER TABLE `user` DISABLE KEYS */;
INSERT INTO `user` (`id`, `city`, `state`, `street1`, `street2`, `zip_code`, `date_of_birth`, `date_of_entry`, `date_of_leave`, `email`,
`firstName`, `jobTitle`, `lastName`, `login`, `middleName`, `password`, `phone`, `country_id`) VALUES
(1, 'Phoenix', 'Arizona', '98th, Maple Ave', '', '63544', '1979-04-01', '2016-01-04', '2039-04-01', 'bananajoe@bananajoe.com', 'Joe',
'Developer', 'Banana', 'bananajoe', '', 'bananarama', '02211123456789', 1);
/*!40000 ALTER TABLE `user` ENABLE KEYS */;
/*!40101 SET SQL_MODE=IFNULL(@OLD_SQL_MODE, '') */;
/*!40014 SET FOREIGN_KEY_CHECKS=IF(@OLD_FOREIGN_KEY_CHECKS IS NULL, 1, @OLD_FOREIGN_KEY_CHECKS) */;
/*!40101 SET CHARACTER_SET_CLIENT=@OLD_CHARACTER_SET_CLIENT */;

```